PATENT ATTORNEY DOCKET NO. 00786/397003

Certificate of Mailing: Date of Deposit: ____ May 17, 2006

I hereby certify under 37 C.F.R. § 1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated above and is addressed to Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 223,13-1450.

Michael Reisman

Printed name of person mailing correspondence

Signature of person mailing correspondence

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

SHEEN et al.

Confirmation No.: 9364

Serial No.:

10/661,426

Art Unit:

1638

Filed:

September 12, 2003

Examiner:

Kubelik, Anne R.

Customer No.:

21559

Title:

Ξ.

MASTER ACTIVATORS OF PATHOGEN RESPONSIVE GENES

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Applicants submit the references listed on the enclosed Form PTO-1449, copies of which are enclosed.

Submission of this statement is not a representation that a search has been made, nor is the inclusion of information in this statement an admission that the information is material to patentability.

This statement is being filed before the receipt of a first Office action on the merits.

If there are any other charges or any credits, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date: 17 May 2806

James D. DeCamp Reg. No. 43,580

Clark & Elbing LLP 101 Federal Street Boston, MA 02110

Telephone: 617-428-0200 Facsimile: 617-428-7045

3						Sh	neet <u>1</u> of <u>3</u>	
SUBSTITUTE	FORM PTO-1449	TO-1449 U.S. DEPARTMENT OF COMMERCE			Attorney Docket No.		00786/397003	
(MODIFIED)	. 1 01(1111 10 1440	PATENT AND TRADEMARK OFFICE				10/661,426 SHEEN et al.		
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)				Filing Date Group		September 12, 2003 1638	
(37 C.F.R. §	(37 C.F.R. § 1.98(b))			IDS Filed		May 17, 2006		
				Customer No.		21559		
			U.S. PATENTS					
Examiner's Initials	Patent Number	Issue Date	Patentee		Class	Subclass	Filing Date (If Appropriate)	
						<u> </u>		
	FORE	EIGN PATENT (OR PUBLISHED FOREIGN	PATENT AP	PLICATIO	ON I		
Examiner's Initials	Document Number	Publication Date	Country or Patent Office		Class	Subclass	Translation (Yes/No)	
	EP 1078985 A2	02/28/2001	EPO				No	
	OTHER DOC	JMENTS (INCL	UDING AUTHOR, TITLE, I	DATE, PLACE	OF PUB	LICATION)		
	Aderem et al., "Toll-like receptors in the induction of the innate immune response," Nature 406:782-787 (2000)							
i i	Asai et al., "Fumonisin B1-induced cell death in <i>Arabidopsis</i> protoplasts requires jasmonate-, ethylene-, and salicylate-dependent signaling pathways," <i>Plant Cell</i> 12:1823-1835 (2000).							
						smonate-, eth	nylene-, and	
	salicylate-depend	dent signaling pa		3-1835 (2000)).		•	
	salicylate-depend Asai et al., "MAP Blume et al., "Rea	dent signaling particular signalling particular signalling ceptor-mediated	athways," Plant Cell 12:182 g cascade in Arabidopsis in d increase in cytoplasmic from	3-1835 (2000 nnate immuni	ty," Nature	÷ 415:977-98	3 (2002).	
	salicylate-depend Asai et al., "MAP Blume et al., "Red defense in parsle	dent signaling po- kinase signallin ceptor-mediated by," <i>Plant Cell</i> 12	athways," Plant Cell 12:182 ng cascade in Arabidopsis i	3-1835 (2000 nnate immuni ee calcium re)). ty," <i>Nature</i> quired for	415:977-98 activation of	3 (2002).	
	salicylate-depend Asai et al., "MAP Blume et al., "Redefense in parsle Chiu et al., "Engir Du et al., "Identifi	dent signaling po- kinase signallin ceptor-mediated by," <i>Plant Cell</i> 12 neered GFP as cation of genes	athways," Plant Cell 12:182 g cascade in Arabidopsis in d increase in cytoplasmic from 2:1425-1440 (2000). a vital reporter in plants," Commonding receptor-like pro	3-1835 (2000 nnate immuni ee calcium re curr. Biol. 6:32 tein kinases a	o)). ty," Nature quired for 25-330 (19	activation of 196).	3 (2002). pathogen	
	salicylate-depend Asai et al., "MAP Blume et al., "Redefense in parsle Chiu et al., "Engir Du et al., "Identifisalicylic acid indu Durrant et al., "cI	dent signaling parkinase signalling ceptor-mediated by," Plant Cell 12 neered GFP as a cation of genes aced WRKY DN DNA-AFLP reve	athways," Plant Cell 12:182 g cascade in Arabidopsis in d increase in cytoplasmic from 2:1425-1440 (2000). a vital reporter in plants," Common coding receptor-like pro A-binding proteins in Arabidals a striking overlap in race	3-1835 (2000 nnate immuni ee calcium re curr. Biol. 6:32 tein kinases a dopsis," Plani	o)). ty," Nature quired for 25-330 (19 as possible 1.24:837	e 415:977-98: activation of 96). e targets of pa -847 (2000).	3 (2002). pathogen athogen- and	
	salicylate-depend Asai et al., "MAP Blume et al., "Redefense in parsle Chiu et al., "Engir Du et al., "Identifisalicylic acid indu Durrant et al., "CE expression profile	dent signaling parkinase signalling ceptor-mediated by," Plant Cell 12 neered GFP as a cation of genes aced WRKY DN DNA-AFLP revees," Plant Cell 1	athways," Plant Cell 12:182 g cascade in Arabidopsis in d increase in cytoplasmic from 2:1425-1440 (2000). a vital reporter in plants," Common coding receptor-like pro A-binding proteins in Arabidos.	3-1835 (2000) nnate immuni ee calcium re curr. Biol. 6:32 tein kinases a dopsis," Plant e-specific res	o)). ty," Nature quired for 25-330 (19 as possible 1.24:837 istance an	activation of 196). e targets of paragets of paragets of wound respect to the second s	gathogen athogen- and	
	salicylate-depend Asai et al., "MAP Blume et al., "Redefense in parsle Chiu et al., "Engir Du et al., "Identifisalicylic acid indu Durrant et al., "CE expression profile Eulgem et al., "Ti Eulgem et al., "Ei	dent signaling parkinase signalling ceptor-mediated by," Plant Cell 12 neered GFP as a cation of genes aced WRKY DN DNA-AFLP reveas," Plant Cell 1 he WRKY superarly nuclear every signal was a cation of genes and the control of the	athways," Plant Cell 12:182 g cascade in Arabidopsis in d increase in cytoplasmic from the case of cas	3-1835 (2000) nnate immuni ee calcium re curr. Biol. 6:32 tein kinases a dopsis," Plant e-specific res	o)). ty," Nature quired for 25-330 (19 as possible 1.24:837 istance ar	e 415:977-98: activation of 96). e targets of pa -847 (2000). d wound resp Sci. 5:199-20	pathogen athogen- and ponse gene	
	salicylate-depend Asai et al., "MAP Blume et al., "Redefense in parsle Chiu et al., "Engir Du et al., "Identification acid indu Durrant et al., "Clexpression profile Eulgem et al., "The Eulgem et al., "Engire factors," EMBO J Felix et al., "Plantification acid industrial acid industr	dent signaling parkinase signalling ceptor-mediated by," Plant Cell 12 neered GFP as a cation of genes are WRKY DN DNA-AFLP revers," Plant Cell 1 ne WRKY super arly nuclear evert. 18:4689-4699 ts have a sensite	athways," Plant Cell 12:182 g cascade in Arabidopsis in d increase in cytoplasmic from the case of cas	3-1835 (2000) Innate immunities calcium recurr. Biol. 6:32 Itein kinases adopsis," Plante-specific resures factors," Treing: rapid ger	o)). ty," Nature quired for 25-330 (19 as possible 3. 24:837 istance ar ands Plant ne activation	e 415:977-98: activation of 196). e targets of pa -847 (2000). d wound resp Sci. 5:199-20 on by WRKY	athogen- and ponse gene 16 (2000).	
	salicylate-depend Asai et al., "MAP Blume et al., "Redefense in parsle Chiu et al., "Engir Du et al., "Identifisalicylic acid indu Durrant et al., "CE expression profile Eulgem et al., "The Eulgem et al., "Engir factors," EMBO J Felix et al., "Plant J. 18:265-276 (19 Gomez-Gomez e	dent signaling parkinase signalling ceptor-mediated by," Plant Cell 12 neered GFP as a cation of genes are WRKY DN DNA-AFLP reveas," Plant Cell 1 ne WRKY super arly nuclear every 18:4689-4699 ts have a sensit 1999).	athways," Plant Cell 12:182 ig cascade in Arabidopsis in dincrease in cytoplasmic from 2:1425-1440 (2000). If a vital reporter in plants," Common control of the control of	3-1835 (2000) nnate immuni ee calcium re curr. Biol. 6:32 tein kinases a dopsis," Plant e-specific res factors," Tre ing: rapid ger ne most conse	quired for	activation of 196). e targets of paragraph (2000). d wound respond to work the second to the second	athogen- and ponse gene le (2000). transcription ial flagellin," Plant	
	salicylate-depend Asai et al., "MAP Blume et al., "Redefense in parsle Chiu et al., "Engir Du et al., "Identifisalicylic acid indu Durrant et al., "CE expression profile Eulgem et al., "Th Eulgem et al., "Th Eulgem et al., "Bait J. 18:265-276 (19) Gomez-Gomez et 18:277-284 (199) Gomez-Gomez et al., "Gomez-Gomez et al.,	dent signaling parkinase signalling kinase signalling kinase signalling ceptor-mediated by," Plant Cell 12 neered GFP as a cation of genes aced WRKY DN DNA-AFLP revers," Plant Cell 1 ne WRKY super arly nuclear every 18:4689-4699 at have a sensite 1999). Set al., "A single logo." at al., "FLS2: an	athways," Plant Cell 12:182 g cascade in Arabidopsis in d increase in cytoplasmic from the common co	3-1835 (2000) Innate immunities calcium recurr. Biol. 6:32 Itein kinases adopsis," Plante-specific resure factors," Trecing: rapid germe most consetto bacterial file	quired for	activation of 196). e targets of paragets of paragets of paragets of paragets of paragets of paragets of the 1960. Example 1960.	pathogen athogen- and conse gene 6 (2000). transcription ial flagellin," Plant haliana," Plant J.	
	salicylate-depend Asai et al., "MAP Blume et al., "Redefense in parsle Chiu et al., "Identification of the common	dent signaling policinated by," Plant Cell 12 neered GFP as a cation of genes aced WRKY DN DNA-AFLP revers," Plant Cell 1 ne WRKY super arly nuclear every 1.18:4689-4699 ts have a sensition of the sensition of	athways," Plant Cell 12:182 g cascade in Arabidopsis in d increase in cytoplasmic from the case of cytoplasmic from the case of cytoplasmic from the cytopla	3-1835 (2000) Innate immunities calcium recurr. Biol. 6:32 Itein kinases adopsis," Plante-specific resures factors," Trecing: rapid germe most consetto bacterial flavolved in the	o)). ty," Nature quired for 25-330 (19 as possible 3. 24:837 istance an ands Plant are activate erved dom perceptio	activation of 196). e targets of pa-847 (2000). d wound respons by WRKY that in of bacter. Arabidopsis the nof the bacter.	pathogen athogen- and conse gene 6 (2000). transcription ial flagellin," Plant chaliana," Plant J.	

Sheet 2 of 3

SUBSTITUTE							icct z oi o
00000	FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE			Attorney Docket No.		00786/397003	
(MODIFIED) PATENT AND TRADEMARK OFFICE				Serial No.		10/661,426	
	Applicant		SHEEN et al.				
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))				Filing Date		September 12, 2003	
				Group		1638	
				IDS Filed		May 17, 2006	
				Customer No.		21559	
			U.S. PATENTS				
Examiner's Initials	Patent Number	Issue Date	Patentee		Class	Subclass	Filing Date (If Appropriate)
	FORE	IGN PATENT (OR PUBLISHED FOREIGN	PATENT AF	PPLICATIO	N .	
Examiner's Initials	Document Number	Publication Date	Country or Patent Office		Class	Subclass	Translation (Yes/No)
	OTHER DOC	JMENTS (INCL	UDING AUTHOR, TITLE, D	DATE, PLAC	E OF PUBI	LICATION)	
			g and characterization of th) in <i>Arabidopsis thaliana,</i> " <i>l</i>				en-activated
	Jouannic et al., 1	Plant MAP kinas	se kinase kinases structure	, classificatio	n and evol	ution," Gene	233:1-11 (1999).
	Kovtun et al., "Fu	nctional analysi	se kinase kinases structure s of oxidative stress-activat SA 97:2940-2945 (2000).				
	Kovtun et al., "Fu plants," <i>Proc. Nat</i> Kovtun et al., "Su	nctional analysi	s of oxidative stress-activat	ted mitogen-	activated p	rotein kinase	cascade in
	Kovtun et al., "Fu plants," <i>Proc. Nat</i> Kovtun et al., "Su 720 (1998). Ligterink et al., "F	nctional analysi II. Acad. Sci., US ppression of au Receptor-mediat	s of oxidative stress-activat SA 97:2940-2945 (2000).	ted mitogen-	activated p	rotein kinase ner plants," A	cascade in
	Kovtun et al., "Fu plants," Proc. Nat Kovtun et al., "Su 720 (1998). Ligterink et al., "F 276:2054-2057 (' Khush et al., "Ge	nctional analysi II. Acad. Sci., US ppression of au deceptor-mediat 1997).	s of oxidative stress-activat SA 97:2940-2945 (2000). xin signal transduction by a	ted mitogen-a MAPK casc	activated p ade in high gen defens	rotein kinase ner plants," \(\) e of plants,"	cascade in lature 395:716- Science
	Kovtun et al., "Fu plants," Proc. Nat Kovtun et al., "Su 720 (1998). Ligterink et al., "F 276:2054-2057 (' Khush et al., "Ge Genet. 16:442-44 Maleck et al., "Th	nctional analysing Acad. Sci., US ppression of au Receptor-mediat 1997). nes that fight inf 19 (2000). e transcriptome	s of oxidative stress-activates of 97:2940-2945 (2000). Exin signal transduction by a ted activation of a MAP kinates.	ted mitogen-a MAPK caso ase in pathog a genome sa	activated p ade in high gen defens ys about a	rotein kinase ner plants," A e of plants,"	cascade in Iature 395:716- Science ity," Trends
	Kovtun et al., "Fu plants," Proc. Nat Kovtun et al., "Su 720 (1998). Ligterink et al., "F 276:2054-2057 (' Khush et al., "Ge Genet. 16:442-44 Maleck et al., "Th 26:403-410 (2000	nctional analysing Acad. Sci., US ppression of au deceptor-mediat 1997). nes that fight inf 19 (2000). e transcriptome 0).	s of oxidative stress-activates of 97:2940-2945 (2000). Exin signal transduction by a steel activation of a MAP kinatection: what the <i>Drosophila</i>	ted mitogen- a MAPK caso ase in pathog a genome sa aring systemic	activated p ade in high gen defens ys about a c acquired	rotein kinase ner plants," A e of plants," nimal immun resistance,"	e cascade in Iature 395:716- Science ity," Trends Nature Genet.
	Kovtun et al., "Fu plants," Proc. Nat Kovtun et al., "Su 720 (1998). Ligterink et al., "Fo 276:2054-2057 (' Khush et al., "Ge Genet. 16:442-44 Maleck et al., "Th 26:403-410 (2000) Madhani et al., "Th Matsuoka et al., "Th	nctional analysing Acad. Sci., US ppression of au deceptor-mediate 1997). The sthat fight information of the riddle of MA Activation of Atlactive mutants e	s of oxidative stress-activate SA 97:2940-2945 (2000). Exin signal transduction by a steed activation of a MAP kinate decition: what the Drosophilate of Arabidopsis thaliana dual P kinase signaling specifical MEK1, an Arabidopsis mitoexpressed in E. coli and ger	a MAPK case ase in pathog a genome sa uring systemic ity," Trends (activated practivated properties of the protein kerner protein ker	rotein kinase ner plants," A e of plants," nimal immun resistance," 51-155 (199 inase kinase	e cascade in Iature 395:716- Science ity," Trends Nature Genet. 8). , in vitro and in
	Kovtun et al., "Fu plants," Proc. Nat Kovtun et al., "Su 720 (1998). Ligterink et al., "Ge 276:2054-2057 ('Khush et al., "Ge Genet. 16:442-44 Maleck et al., "Th 26:403-410 (2000 Madhani et al., "Th Wivo: analysis of a seedlings," Plant Mizoguchi et al., Hirt, H.) Results if	nctional analysing Acad. Sci., US ppression of au Receptor-mediate 1997). The sthat fight infection of the riddle of MA Activation of Atlactive mutants et al., 29: 637-647 of Results and Propol Cell Differ,	s of oxidative stress-activate SA 97:2940-2945 (2000). Exin signal transduction by a steel activation of a MAP kinate decition: what the Drosophilate of Arabidopsis thaliana dual P kinase signaling specific MEK1, an Arabidopsis mito expressed in E. coli and ger (2002). Oblems in Cell Differentiation, "MAP Kinase Cascades in MAP Kinase Cascades in MAP Kinase Cascades in MAP Kinase Cascades in San	a MAPK case ase in pathoga genome sa uring systemic ity," Trends Cogen-activate neration of the con: MAP Kina	activated practivated in high gen defens ys about and acquired Genet. 14:1 d protein k e active for ases in Places.	rotein kinase ner plants," A e of plants," nimal immun resistance," 51-155 (199 inase kinase rm in stress r nt Signal Tra	e cascade in Iature 395:716- Science ity," Trends Nature Genet. 8). , in vitro and in response in
	Kovtun et al., "Fu plants," Proc. Nat Yovtun et al., "Su 720 (1998). Ligterink et al., "Su 720 (1998). Ligterink et al., "Ge Genet. 16:442-44 Maleck et al., "Th 26:403-410 (2000) Madhani et al., "Th Yovo: analysis of a seedlings," Plant Mizoguchi et al., "In Hirt, H.) Results & Responses" 27:2 Nimchuk et al., "E	nctional analysing Acad. Sci., US ppression of au Receptor-mediat 1997). The sthat fight infulation of Att active mutants expected by the second of the seco	s of oxidative stress-activate SA 97:2940-2945 (2000). Exin signal transduction by a steed activation of a MAP kinate activation strength activation of a MAP kinate activation of a MAP kinate signaling specific materials activated in E. coli and ger (2002). The coli of	a MAPK case ase in pathog a genome sa ring systemic ity," Trends (gen-activate neration of the on: MAP Kina n Arabidopsi	activated practivated property about an acquired defense. 14:1 deprotein keep active for asses in Places: Their Roberts and enting and enting and entitles and entitles are active for asset in Places.	rotein kinase ner plants," A e of plants," nimal immun resistance," A 51-155 (199 inase kinase rm in stress r nt Signal Tra tles in Stress	e cascade in lature 395:716- Science ity," Trends Nature Genet. 8). , in vitro and in response in msduction," (ed. and Hormone
	Kovtun et al., "Fu plants," Proc. Nat Kovtun et al., "Su 720 (1998). Ligterink et al., "Fu 276:2054-2057 ('Khush et al., "Ge Genet. 16:442-44 Maleck et al., "Th 26:403-410 (2000 Madhani et al., "Th vivo: analysis of a seedlings," Plant Mizoguchi et al., "Ithirt, H.) Results Responses" 27:2 Nimchuk et al., "Etype III effector pi Nühse et al., "Mid	nctional analysist. Acad. Sci., US ppression of au Receptor-mediat 1997). nes that fight inf 19 (2000). e transcriptome 1). The riddle of MA Activation of Atl active mutants e J. 29: 637-647 Probl Cell Differ, 19-38 (Springer,	s of oxidative stress-activate SA 97:2940-2945 (2000). Exin signal transduction by a steed activation of a MAP kinate activation of a MAP kinate of Arabidopsis thaliana dual. P kinase signaling specifical MEK1, an Arabidopsis mito expressed in E. coli and ger (2002). Toblems in Cell Differentiation, "MAP Kinase Cascades in Heidelberg, 2000). The activation drives plasma meaudomonas syringae," Cell Induce activation and dual procession of the stress of the stre	a MAPK case ase in pathog a genome sa ring systemic ity," Trends (gen-activate neration of th on: MAP Kina n Arabidopsi mbrane targ 101:353-363	activated practivated property about an acquired defense. 14:1 deprotein keep active for asses in Plans: Their Roberts and et (2000).	rotein kinase ner plants," A e of plants," nimal immun resistance," 51-155 (199 inase kinase rm in stress r nt Signal Tra tles in Stress	e cascade in Iature 395:716- Science ity," Trends Nature Genet. 8). , in vitro and in response in Insduction," (ed. and Hormone ction of several
	Kovtun et al., "Fu plants," Proc. Nat Yovtun et al., "Su 720 (1998). Ligterink et al., "Su 720 (1998). Ligterink et al., "Ge Genet. 16:442-44 Maleck et al., "Th 26:403-410 (2000) Madhani et al., "Th Yovo: analysis of a seedlings," Plant Yovo: All Yov	nctional analysing Acad. Sci., US ppression of au Receptor-mediat 1997). The sthat fight infulation of Atlanta (2000). The riddle of MA Activation of Atlanta (2000).	s of oxidative stress-activate SA 97:2940-2945 (2000). Exin signal transduction by a steed activation of a MAP kinate activation of a MAP kinate of Arabidopsis thaliana dual. P kinase signaling specifical MEK1, an Arabidopsis mito expressed in E. coli and ger (2002). Toblems in Cell Differentiation, "MAP Kinase Cascades in Heidelberg, 2000). The activation drives plasma meaudomonas syringae," Cell Induce activation and dual procession of the stress of the stre	a MAPK case ase in pathog a genome sa ring systemic ity," Trends (gen-activate neration of th on: MAP Kina n Arabidopsi mbrane targ 101:353-363 phosphorylati	activated practivated property about an acquired defense. 14:1 defense. Their Roses in Places: Their Roses in County and et i	rotein kinase ner plants," A e of plants," nimal immun resistance," 51-155 (199 inase kinase rm in stress r nt Signal Tra iles in Stress enhances fun Arabidopsis ti	e cascade in Iature 395:716- Science ity," Trends Nature Genet. 8). , in vitro and in response in Insduction," (ed. and Hormone ction of several
	Kovtun et al., "Fu plants," Proc. Nat Yovtun et al., "Su 720 (1998). Ligterink et al., "Su 720 (1998). Ligterink et al., "Ge Genet. 16:442-44 Maleck et al., "Th 26:403-410 (2000 Madhani et al., "Biographic et al., "Mid. J. Biol. Chem. 27 Nurnberger et al., "Patharkar et al., "phosphorylates a	nctional analysist. Acad. Sci., US ppression of au Receptor-mediat 1997). nes that fight inf 19 (2000). e transcriptome 1)). The riddle of MA Activation of Atl active mutants e 1. 29: 637-647 of Probl Cell Differ, 19-38 (Springer, 19-38 (Spring	s of oxidative stress-activate SA 97:2940-2945 (2000). Exin signal transduction by a steed activation of a MAP kinal fection: what the Drosophilate of Arabidopsis thaliana duals. P kinase signaling specifical MEK1, an Arabidopsis mito expressed in E. coli and ger (2002). The strength of the signal fection diversity o	a MAPK case as in pathogo agenome sa genome sa genome sa genome sa genome sa genome sa gen-activate neration of the control of	activated practivated practivated proteins acquired defense. 14:1 defense. 14:1 defense. Their Robert active for asses in Plans. Their Robert active for asses in Plans. Trends Plans Mesembl. 14:679-691	rotein kinase ner plants," A e of plants," nimal immun resistance," 51-155 (199 inase kinase rm in stress r nt Signal Tra iles in Stress enhances fun Arabidopsis ti nt Sci. 6:372- oryanthemum (2000).	e cascade in Iature 395:716- Science ity," Trends Nature Genet. 8). , in vitro and in response in Insduction," (ed. and Hormone ction of several thaliana MAPK 6," 379 (2001).
	Kovtun et al., "Fu plants," Proc. Nat Yovtun et al., "Su 720 (1998). Ligterink et al., "Su 720 (1998). Ligterink et al., "Ge Genet. 16:442-44 Maleck et al., "Th 26:403-410 (2000 Madhani et al., "Th 26:403-410 (2000 Madhani et al., "Th Yivo: analysis of a seedlings," Plant Mizoguchi et al., Hirt, H.) Responses" 27:2 Nimchuk et al., "Expe III effector pi Nühse et al., "Mid. J. Biol. Chem. 27 Nurnberger et al. Patharkar et al., "phosphorylates a Peck et al, "Director Pirector Pirect	nctional analysist. Acad. Sci., US ppression of au Receptor-mediat 1997). nes that fight inf 19 (2000). e transcriptome 1)). The riddle of MA Activation of Atlactive mutants e 1. 29: 637-647 of Results and Propolic Cell Differ, 29-38 (Springer, Eukaryotic fatty at the cottens from Pse crobial elicitors i 5:7521-7526 (2 A stress-induce two-componented proteomics	s of oxidative stress-activate SA 97:2940-2945 (2000). Exin signal transduction by a steed activation of a MAP kina fection: what the Drosophila fection	a MAPK case as in pathogo agenome sa genome sa genome sa genome sa genome sa genome sa gen-activate neration of the control of	activated practivated practivated proteins acquired defense. 14:1 defense. 14:1 defense. Their Robert active for asses in Plans. Their Robert active for asses in Plans. Trends Plans Mesembl. 14:679-691	rotein kinase ner plants," A e of plants," nimal immun resistance," 51-155 (199 inase kinase rm in stress r nt Signal Tra iles in Stress enhances fun Arabidopsis ti nt Sci. 6:372- oryanthemum (2000).	e cascade in Iature 395:716- Science ity," Trends Nature Genet. 8). , in vitro and in response in Insduction," (ed. and Hormone ction of several thaliana MAPK 6," 379 (2001).

			a contract of the contract of					
SUBSTITUTE	FORM PTO-1449 U.S. DEPARTMENT OF COM		TMENT OF COMMERCE			ocket No. 00786/397003		
(MODIFIED) PATENT AND TRADEMARI			D TRADEMARK OFFICE	Serial No.		10/661,426		
			Applicant		SHEEN et al.			
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)				Filing Date		September 12, 2003		
				Group		1638		
(37 C.F.R. § 1	I.98(b))			IDS Filed Customer No.		May 17, 2006		
((-//					21559		
			U.S. PATENTS					
Examiner's Patent Number Issue Date F			Patentee		Class	Subclass	Filing Date (If Appropriate)	
	FORE	EIGN PATENT (OR PUBLISHED FOREIGN	PATENT AF	PLICATIO)N		
Examiner's Initials	Document Number	Publication Date	Country or Patent Office	Class		Subclass	Translation (Yes/No)	
	OTHER DOC	JMENTS (INCL	UDING AUTHOR, TITLE, D	DATE, PLAC	E OF PUBI	LICATION)	·	
	Acad. Sci., U.S.A	. 97:11655-116						
			otein phosphatase 2C invo SA 95:975-980 (1998).	lved in absc	sic acid sig	gnal transduc	tion in higher	
	Sheen et al., "Ca" (1996).	²⁺ -dependent pr	otein kinases and stress sig	nd stress signal transduction in plants," Science 274:1900-1902				
	Swiderski et al., " Plant J. 26:101-1	s PBS1 resistance gene en	nce gene encodes a member of a novel protein kinase subfamily,"					
			ated protein kinase signaling	ase signaling cascades," Curr. Opin. Plant Biol. 4:392-400				
		ini binary vector	r series for plant transforma	ition," <i>Plant I</i>	Mol. Biol. 4	0:711-717 (1	999).	
			PR and wound-related generat Mol. Biol. 46:109-120 (2)		genized to	mato MAP ki	nase kinase	
	Yang et al., "Activ	ation of a mitog	gen-activated protein kinase U.S.A. 98:741-746 (2001).	pathway is	involved in	disease resi	stance in	
	1							
	-							
EXAMINER			DATE CO	DNSIDERED				